LIGHTING RANGE

Development — Sourcing — Quality — Logistic

OHING

SINCE 1987

NEW

Page 3-5

Your Asian Source

HOHING INDUSTRIES

Your Asian Source

SINCE 1987

LED BEACON LIGHTS

CERTIFIED

ECE-R65

CE

& ECE-R10

STANDARD SERIES

400140
FLEXIPOLE

400141
CENTER SCREW

400142
SIDES SCREWS

MAGNET SERIES

400143
Sides screws model

400144
No screw model

QUICK DIN MODEL

400145

www.hohing.com



OHING
SINCE 1987

Your Asian Source

NEW DESIGNS

LED BEACON LIGHTS
GYROPHARES A LED

STANDARD SERIES

FLEXIPOLE 400140

Dual pattern:
125 flashes/min
250 flashes/min

Glass colors:
Amber (R65)
Green (Offroad only)

12V 24V | 45 LEDS | IP 56

-30°c +50°c



CENTER SCREW 400141

Dual pattern:
125 flashes/min
250 flashes/min

Glass colors:
Amber (R65)
Green (Offroad only)

12V 24V | 45 LEDS | IP 56

-30°c +50°c



SIDES SCREWS 400142

Dual pattern:
125 flashes/min
250 flashes/min

Glass colors:
Amber (R65)
Green (Offroad only)

12V 24V | 45 LEDS | IP 56

-30°c +50°c



MAGNET SERIES

MAGNET SIDES SCREWS 400143



Dual pattern:
125 flashes/min
250 flashes/min

Glass colors:
Amber (R65)
Green (Offroad only)

12V 24V | 45 LEDS | IP 56

-30°c +50°c

MAGNET NO SCREW 400144



Dual pattern:
125 flashes/min
250 flashes/min

Glass colors:
Amber (R65)
Green (Offroad only)

12V 24V | 45 LEDS | IP 56

-30°c +50°c

QUICK DIN MODEL 400145

Dual pattern:
125 flashes/min
250 flashes/min

Glass colors:
Amber (R65)
Green (Offroad only)

12V 24V | 45 LEDS | IP 56

-30°c +50°c





OHING
SINCE 1987

Your Asian Source

NEW

LED BEACON LIGHTS
GYROPHARES A LED

Why you should choose our beacon LED light?

1. Double flashing pattern

This range of LED beacons has dual function which means 2 different positions:

Position 1
125 flashes/min
rotating beacon pattern (partial alternate flashing)

Position 2
250 flashes/min
double flashing beacon pattern (complete flashing)

Push button to switch flashing modes

2. Anti rust and high quality metal parts

COVER PICTURES

Introduction to ECE-R65

Emark R65 (ECE-R65) is the specialized rule for beacon and warning lights for road use.

It's including rules for light frequency, lighting distribution distances (with cars, sidewalkers and other vehicules) ,light efficiency and sustainabity of performances for continuous long-term usage.

These testing standards ensure that beacon lights and it's sockets are strong enough to resist to vibrations, wind and different light shocks.

A water draining test is made as well.
It tests beacon light's design performances to release easily water during rainfall in order to let the lighting performance efficient in any circumstances.



OHING
SINCE 1987

Your Asian Source

WORKLIGHTS
PHARES DE TRAVAIL



OHING
SINCE 1987

Your Asian Source

WORKLIGHTS
PHARES DE TRAVAIL

STANDARD MODELS

IP 68

REFERENCE	DESCRIPTION	REFERENCE	DESCRIPTION
HH12205A	LED ROUND 18W - SPOT LED: 5x3W Brand: EPISTAR Halo type: Spot Light power: 950LM 	HH12215-72W	LED BAR 72W LED: 24x3W Brand: EPISTAR Light power: 4000LM LENGTH: 510mm
HH12205B	LED ROUND 18W- FLOOD LED: 5x3W Brand: EPISTAR Halo type: Flood Light power: 950LM 	HH12215-108W	LED BAR 108W LED: 36x3W Brand: EPISTAR Light power: 5900LM LENGTH: 750mm
HH12206A	LED ROUND 27W- SPOT LED: 9x3W Brand: EPISTAR Halo type: Spot Light power: 1450LM 	HH12215-144W	LED BAR 144W LED: 48x3W Brand: EPISTAR Light power: 8000LM LENGTH: 990mm
HH12206B	LED ROUND 27W- FLOOD LED: 9x3W Brand: EPISTAR Halo type: Flood Light power: 1450LM 	HH12218A	LED HIGH POWER 10W- SPOT LED: 1x10W Brand: CREE Halo type: Spot Light power: 900LM 
HH12211A	LED SQUARE 27W- SPOT LED: 9x3W Brand: EPISTAR Halo type: Spot Light power: 1450LM 	HH12218B	LED HIGH POWER 10W- FLOOD LED: 1x10W Brand: CREE Halo type: Flood Light power: 900LM 
HH12211B	LED SQUARE 27W- FLOOD LED: 9x3W Brand: EPISTAR Halo type: Flood Light power: 1450LM 	HH12217A	LED HIGH POWER 40W- SPOT LED: 4x10W Brand: CREE Halo type: Spot Light power: 3600LM 
HH12215-54W	LED BAR 54W LED: 18x3W Brand: EPISTAR Light power: 2900LM LENGTH: 390mm	HH12217B	LED HIGH POWER 40W- FLOOD LED: 4x10W Brand: CREE Halo type: Flood Light power: 3600LM 

PACKING:

LED work light: 1pc/color box

LED light bar: 1pc/carton box with color sticker



OHING
SINCE 1987

Your Asian Source

WORKLIGHTS
PHARES DE TRAVAIL

SPECIAL MODELS

IP 68

PICTURE	DESCRIPTION	HALO TYPE	DIMENSIONS (mm)
HH12239	**LED 6HP 30W** LED: 6x5W Brand: OSRAM **Light power: 3000LM**	FLOOD BEAM	
SPECIAL FEATURES	**2 BRACKET OPTIONS** STANDARD BRACKET SWIVEL BRACKET		
HH12234	**LED 6HP 60W** LED: 6x10W Brand: CREE **Light power: 5400LM**	SPOT BEAM HH12234A FLOOD BEAM HH12234B	 
SPECIAL FEATURES	**COMBINATION WORKLIGHT** 		



OHING
SINCE 1987

Your Asian Source

WORKLIGHTS
PHARES DE TRAVAIL

SPECIAL MODELS

IP 68

PICTURE	DESCRIPTION	HALO TYPE	DIMENSIONS (mm)
HH12012 HH12012-15W	**LED ROUND 10W** LED: 1x10W Brand: CREE **Light power: 900LM**	SPOT BEAM HH12012A FLOOD BEAM HH12012B	
	LED ROUND 15W LED: 1x15W Brand: CREE **Light power: 1350LM**	SPOT BEAM HH12012-15W/A FLOOD BEAM HH12012-15W/B	
HH12238	**LED HANDLE 40W** LED: 8x5W Brand: OSRAM **Light power: 3990LM**	FLOOD BEAM	
HH12242	**LED DOUBLE 20W** LED: 2x10W Brand: CREE **Light power: 1800LM**	SPOT BEAM HH12242A FLOOD BEAM HH12242B	



OHING
SINCE 1987

Your Asian Source

WORKLIGHTS
PHARES DE TRAVAIL

SPECIAL MODELS

IP 68

PICTURE	DESCRIPTION	HALO TYPE	DIMENSIONS (mm)
HH12008	**LED SIGNAL 5W** COLOR: WHITE LED: 1x5W Brand: CREE **Light power: 500LM**	SPOT BEAM HH12008A FLOOD BEAM HH12008B	
HH12008BLUE	**LED SIGNAL 3W** COLOR: BLUE LED: 1x3W Brand: CREE Wave length: 350nm **Light power: 70LM**	SPECIAL BLUE	
FLOOD BEAM	**LED LINE 15W** LED: 5x3W Brand: EPISTAR **Light power: 1050LM**	FLOOD BEAM HH12232B EURO BEAM HH12232E	
EURO BEAM HH12232 HH12232-25W	**LED LINE 25W** LED: 5x5W Brand: EPISTAR **Light power: 1750LM**	FLOOD BEAM HH12232-25W/B EURO BEAM HH12232-25W/E	



OHING
SINCE 1987

Your Asian Source

WORKLIGHTS
PHARES DE TRAVAIL

SPECIAL MODELS

IP 68

PICTURE	DESCRIPTION	HALO TYPE	DIMENSIONS (mm)
HH12219	**LED HQ SQUARE 27W** LED: 9x3W Brand: OSRAM **Light power: 1800LM**	SPOT BEAM HH12219A FLOOD BEAM HH12219B	
HH12007	**LED HQ ROUND 27W** LED: 9x3W Brand: OSRAM **Light power: 1800LM**	SPOT BEAM HH12007A FLOOD BEAM HH12007B	
HH12236	**LED HQ STAR 35W** LED: 7x5W Brand: OSRAM **Light power: 3500LM**	SPOT BEAM HH12236A FLOOD BEAM HH12236B	
HH12237	**LED HQ SQUARE 35W** LED: 7x5W Brand: OSRAM **Light power: 3500LM**	SPOT BEAM HH12237A FLOOD BEAM HH12237B	



OHING
SINCE 1987

Your Asian Source

WORKLIGHTS
PHARES DE TRAVAIL

SPECIAL MODELS

IP 68

PICTURE	DESCRIPTION	HALO TYPE	DIMENSIONS (mm)
HH12011	**LED HQ ROUND 35W** LED: 7x5W Brand: OSRAM **Light power: 3500LM**	SPOT BEAM HH12011A FLOOD BEAM HH12011B	
HH12009	**LED HQ RD STAR 35W** LED: 7x5W Brand: OSRAM **Light power: 5400LM**	SPOT BEAM HH12009A FLOOD BEAM HH12009B	
HH12010	**LED HQ ROUND 80W** LED: 8x10W Brand: CREE **Light power: 7200LM**	SPOT BEAM HH12010A FLOOD BEAM HH12010B	

PACKING:

LED work light: 1pc/color box

LED light bar: 1pc/carton box with color sticker



OHING
SINCE 1987

Your Asian Source

TRAILER LIGHTS
PHARES DE REMORQUE



OHING
SINCE 1987

Your Asian Source

TRAILER LIGHTS
PHARES DE REMORQUE



OHING
SINCE 1987

Your Asian Source

TRAILER LIGHTS
PHARES DE REMORQUE



OHING
SINCE 1987

Your Asian Source

LED FLOODLIGHTS
PROJECTEURS A LED



OHING
SINCE 1987

Your Asian Source

NEW

LED SMD FLOODLIGHTS
PROJECTEURS A LED SMD

Other models (Flat, with PIR Sensor, portable, etc...) and custom colors are available.
Contact us for more details.

20 LEDS	10W 800Lm

60 LEDS	30W 2400Lm

100 LEDS	50W 4000Lm

200 LEDS	100W 8000Lm

300 LEDS	150W 12000Lm



OHING
SINCE 1987

Your Asian Source

LED FLOODLIGHTS
PROJECTEURS A LED

Standard

10W 900Lm

20W 1800Lm

30W 2700Lm

50W 4500Lm

70W 6300Lm

100W 9000Lm

150W 13500Lm

Flat

10W 900Lm

20W 1800Lm

30W 2700Lm

50W 4500Lm

PIR Sensor

10W 900Lm

20W 1800Lm

30W 2700Lm

50W 4500Lm

CE RoHS



OHING
SINCE 1987

Your Asian Source

LED FLOODLIGHTS
PROJECTEURS A LED

PORTABLE SERIES

- CUSTOM HOUSING COLOR
- CUSTOM LIGHT COLOR
- CUSTOM BATTERY POWER
- CUSTOM WATTAGE
- CUSTOM FUNCTION
- CUSTOM PACKAGING

BATTERY	WATTAGE	FUNCTIONS	PACKAGING
NO BATTERY	5W	USB PLUG	WHITE BOX
4400 mAh	10W	DIMMABLE	COLOR BOX
8800 mAh	20W	RGB	DISPLAY
-	-	-	SET CASE

CE RoHS



OHING
SINCE 1987

Your Asian Source

LED FLASHLIGHTS
BALLADEUSES A LED



OHING
SINCE 1987

Your Asian Source

LED FLASHLIGHTS
BALLADEUSES A LED

Reference & Picture	Description	Packing
HH-L001	**24 LEDS Worklight** 1. 24 super birght white LEDs 2. LED brightness: 11000-13000MCD 3. LED using life: 100,000 hours 4. Material: ABS plastic 5. Use by 3×AA dry battery not included 6.Product Size: 210(l)×60(w)×25(h)mm 7. 360° swiveling hook 8. Include strong magnet	**Display Box** **Packing details:** 96pcs/CTN 48×38.5×47.5cm G.W./N.W.: 14/12 kgs
HH-L011	**30+7 LEDS Work light** 1. 30 super bright white front LEDs, 7LED on the top 2. LED brightness: 13000-15000MCD 3. LED using life: 100,000 hours 4. Material: ABS plastic 5. Using 4×AAA batteries not included 6. Product Size: 210(l)×65(w)×35(h)mm 7. Small and exquisite & convenient to carry 8. Switch in the front & clip in the back 9. Include strong magnet	**Display Box** **Packing details:** 96pcs/CTN 48×38.5×47.5cm G.W./N.W.: 14/12 kgs
HH-L013	**36+5 LEDS Work light** 1. 36 super bright white front LEDs, 5LED on the top 2. LED brightness: 13000-15000MCD 3. LED using life: 100,000 hours 4. Material: ABS plastic 5. Using 3×AA batteries not included 6. Product Size: 210(l)×65(w)×35(h)mm 7. Small and exquisite & convenient to carry 8. Switch in the front & clip in the back 9. Include strong magnet	**Display Box** **Packing details:** 24pcs/CTN 31.5×30.5×38cm G.W./N.W.: 8/7 kgs
HH-8602	**Plastic Flashlight Battery** Feature: Working light 30 LEDs - DC 3,6v or 7,2v - AC/DC adaptors - Magnet holder - Battery: 3 AA Ni-MH 1200mAh	**double blister** 20pcs/carton
HH-8621	**ABS plastic Flashlight** Feature: - 52 super bright white LEDs Material: ABS plastic - Built-in 3.7V 2200mah lithium rechargeable batteries - Include 100-240V AC adaptor & 12V DC car cigarette plug, magnet on the bottom - Swiveling hook on the top & switch in the back - Water oil & shock resistant - Working time: 4-5hours - Charge time: 3-4 hours	**double blister** 20pcs/carton

HOHING INDUSTRIES
Promotional Products Division

LED HEADLAMPS

LFL01

MOQ 1000pcs

LFL02

MOQ 3000pcs

Contact us for more details

MAGNET TELESCOPIC LED

Picture	Reference	Description	PACKING
	1028Y-1	Lighting :3 pcs LED with magnet on the head and bottom Battery:operated by 4*LR44 (include) Diam. 3,2cm Min. Length: 17cm Max. Length:57cm Flexible: 6cm Weight:96g	Double blister White box

Any color available on request

MOQ: 1000pcs

Promotional Products Division

HOHING INDUSTRIES Ltd

☎(+852) 2393 6182 (+852) 2789 4106 @hohing@hohing.com www.hohing.com